



**TL-L328B/L646B /L964B**

**Technical Parameters:**

Name	Parameters		
Light source:	2835SMD		
Input Voltage:	AC100~277V 50/60Hz		
Power	15W	30W	40W
LED Current:	350mA	700mA	1000mA
Rated life:	>50,000 hours		
Operating temperature:	-20°C~40°C		
Storage temperature:	-30°C~60°C		
Certificate:	CE/RoHS		
Dimmability:	Non-dimmable 0-10V dimming		
Weight:	0.8KG (L328) 1.4KG (L646) 2.0KG (L964)		



**Ordering Information:**


○ White ● Black

Length	Power	CRI	Beam Angle	Luminous	CCT	Housing	Part Number
328mm	15W	>80	90°	1100 lm	2700K	○	TL-L328B-15W-827-W-90
						●	TL-L328B-15W-827-B-90
				1150 lm	3000K	○	TL-L328B-15W-830-W-90
						●	TL-L328B-15W-830-B-90
				1200 lm	4000K	○	TL-L328B-15W-840-W-90
						●	TL-L328B-15W-840-B-90
646mm	30W	>80	90°	2200 lm	2700K	○	TL-L646B-30W-827-W-90
						●	TL-L646B-30W-827-B-90
				2235 lm	3000K	○	TL-L646B-30W-830-W-90
						●	TL-L646B-30W-830-B-90
				2230 lm	4000K	○	TL-L646B-30W-840-W-90
						●	TL-L646B-30W-840-B-90
964mm	40W	>80	90°	3050 lm	2700K	○	TL-L964B-40W-827-W-90
						●	TL-L964B-40W-827-B-90
				3100 lm	3000K	○	TL-L964B-40W-830-W-90
						●	TL-L964B-40W-830-B-90
				3150 lm	4000K	○	TL-L964B-40W-840-W-90
						●	TL-L964B-40W-840-B-90




Technical Data test pattern

15W, 3000K, CRI80



30W, 3000K, CRI80




Installation instruction

Compatible LED Tracks:


4-wire

6-wire




\*Non-dimmable: 4-wire controlled by circuit L3 only (single circuit control);

\*0/1-10V or DALI dimmable: 6-wire controlled by circuit L3 only (single circuit control);




Packaging:

**L328B**




Inner Box  
L690\*W285\*H110mm  
10pc/box  
GW: 8kg/box




Master Carton  
L700\*295\*265mm  
20pc/box  
GW: 17.2kg/box

**L646B**




Inner Box  
L690\*W285\*H110mm  
5pc/box GW:  
7kg/box




Master Carton  
L700\*295\*265mm  
10pc/box  
GW: 15.2kg/box

**L964B**



Inner Box  
L995\*W223\*H110mm  
4pc/box GW:  
8kg/box



Master Carton  
L1000\*240\*265mm  
8pc/box  
GW: 17.2kg/box